



ME & WE
mwpcdtools.com

ME&WE
DIAMOND GRINDING WHEEL
Super Wear-Resistance



ME&WE
PDC DRILL BIT
Longer Drilling Footage



D12 Diamond Wire Dies Polycrystalline Diamond Dies For Wire Drawing

Our Product Introduction

Basic Information

- Place of Origin: China
- Model Number: D6 - D36
- Minimum Order Quantity: 1 Piece
- Price: Negotiable
- Packaging Details: Carton, Box
- Delivery Time: 5-10 work days
- Payment Terms: T/T, L/C, Western Union
- Supply Ability: 200 pieces per day



Product Specification

- Diamond Drawing Dies: Polycrystalline Diamond Dies
- Material: PCD Core
- Surface Treatment: Polishing
- Application: Wire Drawing Industry
- Mold Life: 1-2 Years
- Transport: By Air
- Highlight: **D12 diamond wire dies,
0.8mm diamond wire dies,
D12 diamond dies for wire drawing**

for more products please visit us on mwpcdtools.com

Product Description

Diamond Drawing Dies, Polycrystalline Diamond Dies

1. Description:

Polycrystalline Diamond Dies are manufactured with polycrystalline diamonds, a durable synthetic material with a highly polished surface finish that minimizes friction for an exceptional resistance to die wear, cracking and breakage. When die life and wire production efficiency take precedent over wire surface finish, consider using this kind of dies.

2. Specifications:

inches	mm	ADDMA	Maximum Diameter
0.0039-0.0157	0.100-0.400	D6	0.4
0.0079-0.0315	0.200-0.800	D12	0.8
0.0079-0.0394	0.200-1.000	D12	1.0
0.0197-0.0591	0.500-1.500	D15	1.5
0.0197-0.0591	0.500-1.500	D15	1.5
0.0315-0.0787	0.800-2.000	D18	2.0
0.0315-0.0787	0.800-2.000	D18	2.0
0.0472-0.1181	1.200-3.100	D21	3.1
0.0472-0.1181	1.200-3.100	D21	3.1
0.0591-0.1732	1.500-4.400	D24	4.4
0.0591-0.1732	2.000-4.400	D24	4.4
0.1299-0.2126	3.300-5.400	D27	5.4
0.1299-0.2183	3.300-5.800	D27	5.8
0.2008-0.2992	5.100-7.600	D30	7.6
0.3150-0.4331	8.000-11.000	D33	11.0
0.3150-0.4409	8.000-11.200	D30	11.2
0.3150-0.4724	8.000-12.000	D33	12.0
0.3150-0.4921	8.000-12.500	D33	12.5
0.3150-0.5000	8.000-12.700	D36	12.7


Note: The above hole sizes are recommended for soft wire. In case of hard wire drawing, the maximum hole size should not exceed 65% of them.

3. Application:

Suitable for drawing different kinds of wires, tubes, pipes, bars and etc.

4. Advantage:

You get significantly longer die life, excellent wire roundness and highly predictable die wear with a good wire surface finish.



PCD Shaving Die Model



ME & WE



18837137981



zyxelina@sina.com



mwpcdtools.com

